

flexylink

affected joints treatment



INNOVATIVE TREATMENTS FOR JOINTS DEGENERATIVE AND/OR INFLAMMATORY DISEASES

fleXylink 2
affected joints treatment

MOLECULAR WEIGHT
1,5*10⁶ Da

POSODOLOGY
2 Annual therapies with
2/3 INJECTIONS
(1 every 15 days)
EXCELLENT PATIENT
RESPONSE

VISCOSITY GRADE
HIGH

QUANTITY HA/ml
HIGH: 2% (40mg/2ml)

fleXylink 4
affected joints treatment

MOLECULAR WEIGHT
1,5*10⁶ Da

POSODOLOGY
1 INJECTIONS
EVERY 6 MONTHS
EXCELLENT PATIENT
RESPONSE

VISCOSITY GRADE
HIGH

QUANTITY HA/ml
HIGH: 2% (80mg/4ml)



- High Safety Profile Airless Packaging
- Linear Hyaluronic Acid 2% (HA obtained from Biofermentation)
- Longer stay of the product in the articular cavity
- Increased resistance to enzymatic attack



- High Safety Profile Airless Packaging
- Linear Hyaluronic Acid 2% (HA obtained from Biofermentation)
- Longer stay of the product in the articular cavity
- Increased resistance to mechanical stress

Innovative treatments with high viscosity
linear hyaluronic acid for joints affected by OA



Aerazen Lab S.r.l. - Viale Majno, 34 - 20129 Milano (Italy)
info: +39 392 97.46.341 - www.aerazenlab.it - info@aerazenlab.it